In the claims:

Amend the claims as follows:

- 1. (Currently amended) A method for downloading data to <u>a</u> mobile <u>device</u> devices belonging to a mobile <u>telecommunication</u> telecommunications network <u>by choosing a download method and configuration parameter values based on capabilities of the mobile device to be provided with update information,</u>
- 10 comprising:

20

- a) storing information of terminal capabilities \underline{and} $\underline{and/or}$ subscriber information of the mobile $\underline{devices}$ \underline{device} in the network \underline{in} a database connected to a provisioning manager, the provisioning manager obtaining the stored information from the
- database, the provisioning manager choosing a download method and configuration parameter values based on the stored information,
 - b) initiating downloading of update information to one or more mobile devices the mobile device by sending the update information to the provisioning manager,
 - the provisioning manager forming a message comprising the with update information to be sent to the mobile device said one or more mobile devices on the basis of the said stored information, and
- d) <u>the provisioning manager</u> downloading the formed <u>information</u> message <u>and sending the formed message</u> to <u>the mobile device</u> <u>said one or more mobile devices</u>.
- 2. (Previously presented) The method of claim 1, wherein the information of terminal capabilities includes standards, technologies, bandwidth constraints, mobile application characteristics, and/or network functionality.
- 3. (Previously presented) The method of claim 2, wherein thenetwork functionality information includes information about

RF Attorney Docket No. 502.1257USN 8/26/09 - 3 -

5

20

30

35

the download protocol used, gateways, towers and access links that are dependent on an organization's use of network protocols, application logic and device access, open Internet standards and protocols, extent of wireless networks coverage, cost factors, uniform/ spotty coverage, data transmission speed, security concerns, time taken to service requests, and authentication capabilities.

- 4. (Currently amended) The method of claim 2, wherein the
 application characteristics includes include form factors,
 area sizes, browser capabilities, languages supported,
 available input methods, text coverage, graphics support,
 expandability options and slots, push technology support,
 ruggedness, information storage capability, adding new data to
 the devices, device performance calculations and logic.
 - 5. (Previously presented) The method of claim 1, wherein the subscriber information includes information about which terminal a subscriber has, what data is downloaded on different devices, and information about subscription and what information a subscriber wants to have about new applications and updates.
- 6. (Currently amended) The method of claim 1, wherein the address of the message to be downloaded is based on the location of the mobile device(s).
 - 7. (Currently amended) The method of claim 1, wherein downloading of the update information is initiated by an the operator on the a basis of a specific parameter value to be downloaded.
 - 8. (Currently amended) The method of claim 1, wherein downloading of $\underline{\text{the}}$ update information is initiated by $\underline{\text{the}}$ an operator on $\underline{\text{the}}$ a basis of a new version of software to be

RF Attorney Docket No. 502.1257USN 8/26/09 - 4 - downloaded.

5

10

- 9. (Currently amended) The method of claim 1, wherein downloading of the update information is initiated by the user requesting data.
- 10. (Currently amended) The method of claim 1, wherein downloading of $\underline{\text{the}}$ update information is initiated by a terminal switch.
- 11. (Currently amended) The method of claim 1, wherein downloading of $\underline{\text{the}}$ update information is initiated by a new location of a terminal.
- 12. (Currently amended) A network for downloading data to mobile devices, comprising:

 mobile devices and a mobile telecommunications network to which the mobile devices belong, and a repository containing information of terminal capabilities
- 20 $\frac{\text{and/or}}{\text{and}}$ subscriber information of the mobile devices in the $\text{network}_{\underline{\textbf{r}}}$
 - a provisioning manager in communication with the mobile devices, the repository and the telecommunication network, the provisioning manager having means for the information
- 25 <u>contained in the repository,</u>

 the provisioning manager having means for choosing a download method and configuration parameter values based on the contained information,
- the provisioning manager having means for downloading update information,
 - the provisioning manager having means for forming a message comprising the update information to be sent to the mobile devices on the basis of the contained information, and the provisioning manager having means for downloading the
- formed message to the mobile devices.

5

- 13. (Previously presented) The network of claim 12, wherein the information of terminal capabilities includes standards, technologies, bandwidth constraints, mobile application characteristics, and/or network functionality.
- 14. (Currently amended) The network of claim 13, wherein the network functionality information includes information about the a download protocol used, gateways, towers and access links that are dependent on an organization's use of network protocols, application logic and device access, open Internet standards and protocols, extent of wireless networks coverage, cost factors, uniform/ spotty coverage, data transmission speed, security concerns, time taken to service requests and authentication capabilities.
- 15. (Currently amended) The network of claim 12, wherein the application characteristics includes include form factors, area sizes, browser capabilities, languages supported,
 20 available input methods, text coverage, graphics support, expandability options and slots, push technology support, ruggedness, information storage capability, adding new data to the devices, device performance calculations and logic.
- 16. (Previously presented) The network of claim 12, wherein the subscriber information includes information about which terminal a subscriber has, what data is downloaded on different devices, and information about subscription and what information a subscriber wants to have about new applications and updates.